

DMInteract[®]

From Visualization to Collaboration



DMInteract DM1.53MM-IN

P1.53mm High Resolution SMD
Technology Indoor Dot LED
Video Wall Display



BEST IN CLASS

DMINTERACT DM1.53MM-IN

**P1.53mm High Resolution SMD Technology
Indoor Dot LED Video Wall Display**

**Available Sizes:
100", 150", 180" And 200"**

PRODUCT OVERVIEW

The DMInteract P1.53mm High Resolution SMD Technology Indoor Dot LED Video Wall Display is engineered for superior image quality and performance. With a high pixel density of 422,500 pixels per square meter and a fine pixel pitch of 1.53mm, it delivers ultra-clear and detailed visuals. Featuring SMD1212 LED lamps and RGB pixel configuration, it ensures vibrant and accurate colors. The wide viewing angle of 140-160 degrees and high refresh rate of 3840Hz provide a seamless and immersive viewing experience. Optimized for indoor environments, it offers a brightness of $\geq 650\text{cd}/\text{m}^2$ and operates efficiently with an average power consumption of $160\text{-}300\text{W}/\text{m}^2$. Its durable, lightweight die-casting aluminum cabinet supports a long lifespan of over 100,000 hours, making it a reliable choice for various indoor applications.



Specifications of the DMInteract DM1.53MM-IN Indoor Dot LED Solution:

Brand Name:	DMInteract
Model Number:	DM1.53MM-IN
Suitable For:	Indoor
Pixel Pitch:	P1.53mm
Module Size:	320x160mm
Module Resolution:	208x104 Pixels
Pixel Configuration:	RGB
LED Lamp:	SMD1212
Driving Method:	1/52scan
Pixel Density:	422500 Pixels/SQM
Refresh Rate:	3840Hz
Viewing Angle:	140-160 Degrees
Brightness:	≥650cd/m²
Cabinet Size:	640x640mm

Specifications of the DMInteract DM1.53MM-IN Indoor Dot LED Solution:

Cabinet Resolution:	416x416 Pixels
Cabinet Material:	Die-Casting Aluminum
Average Consumption:	160-300W/m²
Max. Consumption:	650 W/m²
Input Voltage:	AC220V-240V/50-60Hz
Operating Humidity:	10% ~ 90%
Operating Temperature:	-30°C~65°C
Life Span:	≥100,000 Hours
Cabinet Weight:	6.5kg/pc

Available Sizes Of The DMInteract DM1.53MM-IN Indoor Dot LED Solution:

DMInteract 100" Indoor P1.53mm Dot LED Display

Screen Size: 1.92(W) x 1.28(H)m = 2.46sqm

Diagonal Size: Around 100"

Refresh Rate: 3840Hz

Cabinet Quantity: 3 x 2 = 6 Units

DMInteract 150" Indoor P1.53mm Dot LED Display

Screen Size: 3.2(W) x 1.92(H)m = 6.144sqm

Diagonal Size: Around 150"

Refresh Rate: 3840Hz

Cabinet Quantity: 5 x 3 = 15 Units

DMInteract 180" Indoor P1.53mm Dot LED Display

Screen Size: 3.84(W) x 1.92(H)m = 7.37sqm

Diagonal Size: Around 180"

Refresh Rate: 3840Hz

Cabinet Quantity: 6 x 3 = 18 Units

DMInteract 200" Indoor P1.53mm Dot LED Display

Screen Size: 4.48(W) x 2.56(H)m = 11.5sqm

Diagonal Size: Around 200"

Refresh Rate: 3840Hz

Cabinet Quantity: 7 x 4 = 28 Units



SPECIAL OFFER

ORDER NOW



 **DEALER ADDRESS:**

Showroom G-02, IT Plaza, Dubai Silicon Oasis, Dubai, United Arab Emirates

 **CANADA OFFICE:**

DMInteract Inc 801 Dundas Street East, Unit #D6, Mississauga, Ontario, L4Y 4G9

 **CONTACT NUMBER:**

+971-4-3360300 - (Dubai Office)

437-880-7712 - (Mississauga Office)

 **EMAIL ADDRESS:**

info@dminteract.com