



**DMInteract<sup>®</sup>**

# **SMART INTERACTIVE PODIUM**

**2K Resolution Remote Control Height Adjustable Smart Interactive Digital Podium With Android & Windows – Elevate Presentations with Innovation**

**SINGLE TOP SCREEN / DUAL SCREEN TOP & FRONT**

# PREMIUM OFFERINGS

- **OPTION#1:** ONLY WITH 23.6" TOP TOUCH SCREEN (ANDROID 11, 2GB RAM, 32GB ROM, RK3568)
- **OPTION#2:** ONLY WITH 23.6" TOP TOUCH SCREEN (WINDOWS 10, INTEL CORE I5, 4GB RAM, 128GB SSD)
- **OPTION#3:** DUAL SCREEN - 23.6" TOP TOUCH SCREEN (ANDROID 11, 2GB RAM, 32GB ROM, RK3568) + 32" FRONT NON-TOUCH SCREEN (ANDROID 11, 2GB RAM, 32GB ROM, RK3568)
- **OPTION#4:** DUAL SCREEN - 23.6" TOP TOUCH SCREEN (WINDOWS 10, INTEL CORE I5, 4GB RAM, 128GB SSD) + 32" FRONT NON-TOUCH SCREEN (ANDROID 11, 2GB RAM, 32GB ROM, RK3568)



# TECHNICAL HIGHLIGHTS

Brand Name:	<b>DMInteract®</b>
Model Number:	<b>DM-SDP2432</b>
Product Name:	Smart Interactive Digital Podium
Top Screen Size:	23.6 Inches
Front Screen Size:	32 Inches
Aspect Ratio:	16:9
Resolution:	1920 x 1080 FHD
Color:	8Bit, 16.7M
Brightness:	300 cd/m <sup>2</sup>
Contrast Ratio:	3000:1
Visual Angle (H/V):	178° / 178°
<b>Windows Configuration:</b>	
Operating System:	Windows 10
CPU:	Intel Core i5
RAM:	4GB
SSD:	128GB

# TECHNICAL HIGHLIGHTS

<b>Connectivity:</b>	Wi-Fi Module + Wi-Fi Antenna
<b>Interface:</b>	HDMI x 1, VGA x 1, USB2.0 x 2, USB3.0 x 2, RJ45, SIM Slot x 1
<b>Android Configuration:</b>	
<b>Operating System:</b>	Android 11
<b>Processor:</b>	RK3568; Quad-Core 64-bit Cortex-A55 with a maximum 2.0GHz dominant frequency
<b>RAM:</b>	2GB
<b>ROM:</b>	32GB
<b>Connectivity:</b>	Wi-Fi Module + Wi-Fi Antenna
<b>Interface:</b>	HDMI x 1, USB x 2, RJ45, SD Card Slot x 1
<b>Touch Screen Information:</b>	
<b>Touch Technology:</b>	Capacitive Touch
<b>Position Accuracy:</b>	Approximately 3mm absolute, 1mm relative. No drift
<b>Alignment:</b>	Software drivers provide a calibration facility
<b>Speed Of Response:</b>	5ms

# TECHNICAL HIGHLIGHTS

<b>Sensitivity:</b>	It can be programmed for different thickness of glass and even use with gloved hands.
	Standard configuration functions with non-metal.
	Single construction glass 16mm thick. Double glazing option up to 25mm available
<b>Hardware Information:</b>	
<b>Surface:</b>	Toughened Glass
<b>Frame:</b>	Aluminum Alloy
<b>Back Cover:</b>	Metal Shell
<b>Speaker:</b>	2 x 5W Speakers Inside
<b>Power Input:</b>	AC 110V ~ 240V
<b>Power In Standby:</b>	≤3W
<b>Power In Working:</b>	30W-180W
<b>Operation Temperature:</b>	-20°C ~ 60°C
<b>Including Accessories:</b>	Goose Neck Mic x 2, Power Cable x 1, Remote Control x 1 & Height Adjustment Remote Control x 1

SPECIAL OFFER

# ORDER NOW



[www.dminteract.com](http://www.dminteract.com)



[www.dubaimachines.com](http://www.dubaimachines.com)



**DEALER ADDRESS:**

Showroom G-02, IT Plaza, Dubai Silicon Oasis, Dubai, United Arab Emirates



**CANADA OFFICE:**

DMInteract Inc 801 Dundas Street East, Unit #D6, Mississauga, Ontario, L4Y 4G9



**CONTACT NUMBER:**

+971-4-3360300 - (Dubai Office)  
437-880-7712 - (Mississauga Office)



**EMAIL ADDRESS:**

[info@dminteract.com](mailto:info@dminteract.com)